



Date of issue: 2 December 2019

Valid until: 1 December 2024

EHEDG hereby declares that the product

guide pulse type level sensor, type FL-S001 with PFA sheath type FL-SPxx(x)

from

Keyence Corporation, 1-3-14, Higashinakajima, Higashiyodogawa-ku, 5338555 Osaka, Japan

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

Certificate No. EHEDG-C1900053

Signed President EHEDG
Hein Timmerman

Signed ______ EHEDG Certification Officer

Karlijn Faber

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG

Appendix 3

EHEDG Certification – Equipment Evaluation Form

Evaluation Date: 23.08.2019

EHEDG File Number: EHEDG-C1900053

Certification Type: EL CLASS I

Applicant: Keyence Corporation

Equipment: Guide pulse type level sensor

Type or model No/s.: FL-S001 with PFA sheath type FL-SPxx(x)

Other essential identification: sensor length between 200 mm and 2000 mm

Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Andy Timperley

Title: AEO / Chairman of the WG Certification

Date, Signature: 02.12.2019

1.	Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion:		
	The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES MAYBE	
2.	lence for compliance provided and convincing for Certification. clusion:		
	The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES	

Signature:

Date: 02.12.2019

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the guide pulse type level sensor, type FL-S001 with PFA sheath type FL-SPxx(x), no. 693TUM2019
7.	Drawings of the guide pulse type level sensor, type FL-S001 with PFA sheath type FL-SPxx(x), drawing no. 1009CAE001-01; original stamped
8.	Test report of the in-place cleanability test method, no. 693/10.09.2019
9.	Example of EHEDG Certified Logo Type EL CLASS I