

Date of issue: 9 March 2022

Valid until: 31 December 2025

EHEDG hereby declares that the product

Single seat on/off valves BBZP, BBYP, BBZM, BBYM, BBZT, BBYT, BBZS5, sizes DN 25, DN40, DN50, DN65, DN80, DN 100 and 1", 1"1/2, 2", 2"1/2, 3" to 4", with EPDM, FKM and HNBR gaskets, V45 body type excluded

from

Bardiani valvole, G. Di Vittorio 50/52, 43045 Fornovo Taro, Italy

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of of the EHEDG

Certificate No. EHEDG-C2200014

Signed _

Hein Timmerm

Karlijn Faber

_ President EHEDG

Signed

_____ EHEDG Certification Officer

EHEDG Karspeldreef 8 1101 CJ Amsterdam *Netherlands*

©EHEDG

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 03.04.2019 EHEDG File Number: EHEDG-C1900147 Certification Type: EL CLASS I

Applicant: Bardiani Valvole Spa, Fornovo, Parma, Italy

Equipment: Single seat on/off valves BBZP, BBYP, BBZM, BBYM, BBZT, BBYT, BBZS5, sizes DN 25, DN40, DN50, DN65, DN80, DN 100 and 1", 1"1/2, 2", 2"1/2, 3" to 4", with EPDM, FKM and HNBR gaskets, V45 body type excluded.

Other essential identification:

Evaluated by:

Name: Giampaolo BETTA

Approved by:

Name: Irene LLORCA Title: AEO

Date, Signature: 02/03/22

	Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion: The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES	
		MAYBE	
2.	Evidence for compliance provided and convincing for Certification. Conclusion: The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES	

Signature: flis

Date: 15/02/2022

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description
1	EHEDG Certificate of Compliance
2	Contract to use the EHEDG Certification Logo for equipment
3	Appendix 1: Equipment intended for cleaning in place with liquids without dismantling
4	Appendix 2: Conditions for use of the EHEDG Certification Logo
5	Appendix 3: Equipment evaluation form
6	EHEDG hygienic design criteria evaluation report 2022DRGB0215
7	Drawings of the Single seat on/off valves BBZP, BBYP, BBZM, BBYM, BBZT, BBYT, BBZS5, sizes DN 25, DN40, DN50, DN65, DN80, DN 100 and 1", 1"1/2, 2", 2"1/2, 3" to 4", with EPDM, FKM and HNBR gaskets, V45 body type excluded, numbers A649, A987, 6319, 6539, 7735, 14597, 14758, 14813 original stamped
8	Test reports MP7.8R1_MI1_po_1_27/05/2021_1 REV 0 and MP7.8R1_MI1_po_1_04/02/2022_1 REV 0 from SIIIA SrI (Parma, Italy)
9	Example of the EHEDG Logo Type EL CLASS I