CAKE, OF COMPLIANS

EHEDG her



Date of issue: 20 July 2023

Valid until: 31 December 2025

EHEDG hereby declares that the product

process connection Unifit, type CPA842 without sensor guard (Code "NB") and EPDM or FKM gasket for EHEDG certified sensors with shaft diameter 12 mm

from

Endress+Hauser Conducta GmbH+Co. KG, Dieselstrasse 24, 70839 Gerlingen, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

## Certificate No. EHEDG-C2300047

Signed President EHEDG
Hein Timmerman

Signed \_\_\_\_\_\_ EHEDG Certification Officer
Karlijn Faben

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG

## **Appendix 3**

## **EHEDG Certification – Equipment Evaluation Form**

Design Evaluation Date: 28.03.2023

EHEDG File Number: EHEDG-R2300022

Certification Type: EL CLASS I

Applicant: Endress+Hauser Conducta GmbH+Co. KG

Equipment: process connection Unifit, type CPA842 without sensor guard (Code "NB") and EPDM or

FKM gasket for EHEDG certified sensors with shaft diameter 12 mm

Other essential identification
--------------------------------

**Evaluated by:** 

Name: Dr. Jürgen Hofmann

Approved by:

Name: Irene Llorca

Title: AEO

20006744X Firmado digitalmente por 20006744X MARIA IRENE LLORCA (C.G.46421988)

7. Hofmann

Date, Signature: (C:G46421988) 12:01:15 +02'00'

1.	Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion:		
	The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES MAYBE	
2.	Evidence for compliance provided and convincing for Certification. Conclusion:		
	The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES	$\square$

Signature:

Date: 03.07.2023

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

## Appendix 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the process connection Unifit, type CPA842 without sensor guard (Code "NB") and EPDM or FKM gasket for EHEDG certified sensors with shaft diameter 12 mm, no. 772TUM2023
7.	Drawings of the process connection Unifit, type CPA842 without sensor guard (Code "NB") and EPDM or FKM gasket for EHEDG certified sensors with shaft diameter 12 mm, drawing nos. 961005947 page 1 and 2; original stamped
8.	Test report of the in-place cleanability test method according to Doc. 2, Test nos. 583/26.05.2017 and 772/25.04.2023.
9.	Cleaning and Installation manual no. SD02751C/07/EN/02.23 supplied by the manufacturer
10.	Example of EHEDG Certified Logo Type EL CLASS I