CAKE, OF COMPLIANS

EHEDG her



Date of issue: 4 September 2023

Valid until: 31 December 2025

EHEDG hereby declares that the product

pipe connection, type HP-SealCon, DN 25-125 with EPM gasket

from

GEA TDS GmbH, Kruppstrasse, 48683 Ahaus, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of the EHEDG

Certificate No. EHEDG-C2300053

Signed ______ President EHEDG

Hein Timmerman

Signed ______ EHEDG Certification Officer Karlijn Faber

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG

Appendix 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 14.03.2023

EHEDG File Number: EHEDG-R2300027

Certification Type: EL CLASS I

Applicant: GEA TDS GmbH

Equipment: pipe connection, type HP-SealCon, DN 25-125 with EPM gasket

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Tadashi Tsuchiya

Title: AEO

31.07.2023 Fachiya

1.	Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion:		
	The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES MAYBE	
2.	Evidence for compliance provided and convincing for Certification. Conclusion:		
	The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES	Ø

Signature:

Date: 24.07.2023

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the pipe connection, type HP-SealCon, DN 25-125 with EPM gasket, no. 603TUM2023
7.	Drawings of the pipe connection, type HP-SealCon, DN 25-125 with EPM gasket, drawing nos. IFVB1401-92v0050-DOKU, IFVB1401-92vXXXX; original stamped
8.	Test report of the in-place cleanability test method according to Doc. 2, Test no. 603/10.10.2017
9.	Cleaning and Installation manual version A1 supplied by the manufacturer
10.	Example of EHEDG Certified Logo Type EL CLASS I