

Date of issue: 5 September 2023

Valid until: 31 December 2025

EHEDG hereby declares that the product

pipe connection, type HP-SealCon, DN 25-125 with EPM gasket

from

GEA TDS GmbH, Kruppstrasse, 48683 Ahaus, Germany

has/have been evaluated for compliance and meets/meet the current criteria for Hygienic Equipment Design of of the EHEDG

Certificate No. EHEDG-C2300053

Signed _ ___ President EHEDG Hein Timmerm

Signed _

Karlijn Faber

_____ EHEDG Certification Officer

EHEDG Karspeldreef 8 1101 CJ Amsterdam Netherlands

©EHEDG

Appendix 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 14.03.2023 EHEDG File Number: EHEDG-R2300027 Certification Type: EL CLASS I

Applicant: GEA TDS GmbH

Equipment: pipe connection, type HP-SealCon, DN 25-125 with EPM gasket

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Tadashi Tsuchiya Title: AEO

31.07.2023 Fachinga Date, Signature:

Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion:		
The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES MAYBE	□ ☑

2. Evidence for compliance provided and convincing for Certification. Conclusion:

The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:

Signature:

. Hofmann

Date: 24.07.2023

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

 $\mathbf{\nabla}$

YES

Appendix 3

Description
EHEDG Certificate of Compliance
Contract to use the EHEDG Certification Logo for equipment
Appendix 1: Equipment intended for cleaning-in-place with liquids without dismantling
Appendix 2: conditions for use of the EHEDG Certification Logo
Appendix 3: Equipment evaluation form
Evaluation report of the design of the pipe connection, type HP-SealCon, DN 25-125 with EPM gasket, no. 603TUM2023
Drawings of the pipe connection, type HP-SealCon, DN 25-125 with EPM gasket, drawing nos. IFVB1401-92v0050-DOKU, IFVB1401-92vXXXX; original stamped
Test report of the in-place cleanability test method according to Doc. 2, Test no. 603/10.10.2017
Cleaning and Installation manual version A1 supplied by the manufacturer
Example of EHEDG Certified Logo Type EL CLASS I