



EL Class I AUX

Date of issue: 24 September 2024

Valid until: 31 December 2025

EHEDG hereby declares that the product

stainless steel cable glands SKINTOP®, versions HYGIENIC, HYGIENIC SC, HYGIENIC NPT, HYGIENIC SC NPT in sizes M12/NPT 1/4" (Ø 4-5 mm), M16 / NPT 3/8" (Ø 6.5-8 mm), M20 / NPT 1/2" (Ø 9-10.5 mm), M25 / NPT 3/4" (Ø 11.5-14 mm), M32 (Ø 16-18 mm), M40 (Ø 22-24 mm), versions HYGIENIC-R and HYGIENIC-R NPT in sizes M12/NPT 1/4" (Ø 3-4.5 mm), M16 / NPT 3/8" (Ø 4.5-7 mm), M20 / NPT 1/2" (Ø 7-10 mm), M25 / NPT 3/4" (Ø 9.5-12.5 mm), M32 (Ø 13-16.5 mm), M40 (Ø 18-22 mm), and blind plugs SKINDICHT®, version HYGIENIC BL-M and HYGIENIC BL-NPT in sizes M12 / NPT 1/4", M16 / NPT 3/8", M20 / NPT 1/2", M25 / NPT 3/4", M32 / NPT 1", M40 / 1 1/4" with FKM gaskets

from

U.I.Lapp GmbH, Schulze-Delitzsch-Strasse 25 , 70565 Stuttgart, Germany

Certificate No. EHEDG-C2400040

has/have t
Hygien
Signed _____ *nd meets/meet the current criteria for*
rocess applications of the EHEDG
Hein Timmerman _____ *President EHEDG*

Signed _____ *EHEDG Certification Officer*
Karlijn Faber

EHEDG
Karspeldreef 8
1101 CJ Amsterdam
Netherlands

©EHEDG

Appendix 3

EHEDG Certification – Equipment Evaluation Form

Design Evaluation Date: 14.02.2024

EHEDG File Number: EHEDG-R2400017

Certification Type: EL CLASS I AUX

Applicant: U.I. Lapp GmbH

Equipment: stainless steel cable glands SKINTOP®, versions HYGIENIC, HYGIENIC SC, HYGIENIC NPT, HYGIENIC SC NPT in sizes M12/NPT 1/4" (Ø 4-5 mm), M16 / NPT 3/8" (Ø 6.5-8 mm), M20 / NPT 1/2" (Ø 9-10.5 mm), M25 / NPT 3/4" (Ø 11.5-14 mm), M32 (Ø 16-18 mm), M40 (Ø 22-24 mm), versions HYGIENIC-R and HYGIENIC-R NPT in sizes M12/NPT 1/4" (Ø 3-4.5 mm), M16 / NPT 3/8" (Ø 4.5-7 mm), M20 / NPT 1/2" (Ø 7-10 mm), M25 / NPT 3/4" (Ø 9.5-12.5 mm), M32 (Ø 13-16.5 mm), M40 (Ø 18-22 mm), and blind plugs SKINDICHT®, version HYGIENIC BL-M and HYGIENIC BL-NPT in sizes M12 / NPT 1/4", M16 / NPT 3/8", M20 / NPT 1/2", M25 / NPT 3/4", M32 / NPT 1", M40 / 1 1/4" with FKM gaskets

Other essential identification:

Evaluated by:

Name: Dr. Jürgen Hofmann

Approved by:

Name: Andy Timperley, on behalf of the SubCom Certification

Title: AEO, Chairman of the SubCom Certification

Date, Signature: 16.09.2024,



1. Results of inspection for compliance with the EHEDG Hygienic Design Criteria. Conclusion: The equipment complies with the criteria. The use of the EHEDG Certification logo is justified:	YES <input checked="" type="checkbox"/> MAYBE <input type="checkbox"/>
2. Evidence for compliance provided and convincing for Certification. Conclusion: The equipment complies with the criteria where possible. The use of the EHEDG Certification logo is justified:	YES <input type="checkbox"/>

Signature:



Date: 24.07.2024

The original of this form will be kept by EHEDG together with the application, the inspection report, the evidence provided and any other relevant documentation, as listed on the back.

Appendix 3

No.	Description
1.	EHEDG Certificate of Compliance
2.	Contract to use the EHEDG Certification Logo for equipment
3.	Appendix 1: Auxiliary Equipment intended for open plant cleaning with liquids without dismantling
4.	Appendix 2: conditions for use of the EHEDG Certification Logo
5.	Appendix 3: Equipment evaluation form
6.	Evaluation report of the design of the stainless steel cable glands SKINTOP®, versions HYGIENIC, HYGIENIC SC, HYGIENIC NPT, HYGIENIC SC NPT in sizes M12/NPT 1/4" (Ø 4-5 mm), M16 / NPT 3/8" (Ø 6.5-8 mm), M20 / NPT 1/2" (Ø 9-10.5 mm), M25 / NPT 3/4" (Ø 11.5-14 mm), M32 (Ø 16-18 mm), M40 (Ø 22-24 mm), versions HYGIENIC-R and HYGIENIC-R NPT in sizes M12/NPT 1/4" (Ø 3-4.5 mm), M16 / NPT 3/8" (Ø 4.5-7 mm), M20 / NPT 1/2" (Ø 7-10 mm), M25 / NPT 3/4" (Ø 9.5-12.5 mm), M32 (Ø 13-16.5 mm), M40 (Ø 18-22 mm), and blind plugs SKINDICHT®, version HYGIENIC BL-M and HYGIENIC BL-NPT in sizes M12 / NPT 1/4", M16 / NPT 3/8", M20 / NPT 1/2", M25 / NPT 3/4", M32 / NPT 1", M40 / 1 1/4" with FKM gaskets, no. 10424TUM2024
7.	Drawings of the stainless steel cable glands SKINTOP® HYGIENIC and blind plugs SKINDICHT® HYGIENIC, drawing nos. DM53105110DE_EN, DM52103490DE_EN, BS15_4354, BS15_4356, BS18_4701, BS15_4357, BS15_4355; original stamped
8.	Cleaning and Installation manual no. 99090181/BS15/4370 VS05 supplied by the manufacturer
9.	Example of EHEDG Certified Logo Type EL CLASS I AUX